



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 26-Jul-2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: ISHINE
Product Number: 5455
Recommended Use: Floor Finish
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Not Classified Not classified as hazardous by 29 CFR 1910.1200 (OSHA HazCom-GHS)

GHS Label Elements

Signal Word: No signal word
Symbols: No symbols
Hazard Statements: No hazard statements
Precautionary Statements:
Prevention: Not Applicable
Response:
-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Not Applicable
Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- May be harmful if swallowed
- May cause eye irritation
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------|-------------|----------|
| Water | 7732-18-5 | 40-70 |
| Acrylic Polymer | PROPRIETARY | 10-30 |
| Ethoxydiglycol | 111-90-0 | 3-7 |
| Tributoxyethyl Phosphate | 78-51-3 | 1-5 |
| Styrene/Acrylates Copolymer | 9010-92-8 | 1-5 |

| | | |
|-----------------------------|-------------|-------|
| PPG-2 Methyl Ether | 34590-94-8 | 1-5 |
| Zinc Ammonium Carbonate | 38714-47-5 | 0.1-1 |
| Polypropylene Polymer | PROPRIETARY | 0.1-1 |
| Polyethylene Polymer | PROPRIETARY | 0.1-1 |
| Ammonium Hydroxide | 1336-21-6 | 0.1-1 |
| Phosphate Surfactants | PROPRIETARY | 0.1-1 |
| C9-11 Alcohols Ethoxylated | 68439-46-3 | 0.1-1 |
| Dimethicone | 63148-62-9 | <0.1 |
| Methylchloroisothiazolinone | 26172-55-4 | <0.1 |
| Methylisothiazolinone | 2682-20-4 | <0.1 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
- Note to Physicians:** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

- Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
- Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|----------------------------------|-------------------------------------|---|---|
| PPG-2 Methyl Ether 34590-94-8 | STEL: 150 ppm TWA: 100 ppm S* | TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm | IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³ |

| | | | |
|--|--|---|--|
| | | (vacated) STEL: 900 mg/m ³ (vacated) S* S* | |
|--|--|---|--|

Engineering Controls: Provide good general ventilation.
If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Personal Protective Equipment**Eye/Face Protection:**

Not required with expected use.

Skin and Body Protection:

Not required with expected use.

Respiratory Protection:

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|-----------------------------|
| Appearance/Physical State: | Liquid |
| Color: | White emulsion |
| Odor: | Slight ammonia odor |
| pH: | 8.0-8.5 |
| Melting Point / Freezing Point: | No information available |
| Boiling Point / Boiling Range: | 100 °C / 212 °F |
| Flash Point: | > 99 °C / > 210 °F ASTM D56 |
| Evaporation Rate: | < 1 (BuAc = 1) |
| Flammability (solid, gas) | No information available |
| Upper Flammability Limit: | No information available |
| Lower Flammability Limit: | No information available |
| Vapor Pressure: | No information available |
| Vapor Density: | No information available |
| Specific Gravity: | 1.037 |
| Solubility(ies): | Miscible in water |
| Partition Coefficient: | No information available |
| Autoignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Viscosity: | No information available |

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.
Chemical Stability: Stable under normal conditions.
Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.
Conditions to Avoid: Extremes of temperature and direct sunlight.
Incompatible Materials: Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products: May include carbon monoxide, carbon dioxide (CO₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:
-Eye Contact: Pain and redness.
-Skin Contact: Drying of the skin.
-Inhalation: Nasal discomfort and coughing.
-Ingestion: Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects
Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system. -Eyes. Respiratory System.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 78631 mg/kg
 ATEmix (dermal): 38950 mg/kg
 ATEmix (inhalation-dust/mist): 39.3 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|-------------------------|--------------------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| Ethoxydiglycol 111-90-0 | = 10502 mg/kg (Rat) | = 9143 mg/kg (Rabbit) | > 5240 mg/m ³ (Rat) 4 h |
| Tributoxyethyl Phosphate 78-51-3 | = 3 g/kg (Rat) | > 16 mL/kg (Rabbit) | > 6.4 mg/L (Rat) 4 h |
| PPG-2 Methyl Ether 34590-94-8 | = 5400 µL/kg (Rat) | = 9500 mg/kg (Rabbit) | Not Available |
| Ammonium Hydroxide 1336-21-6 | = 350 mg/kg (Rat) | Not Available | Not Available |
| C9-11 Alcohols Ethoxylated 68439-46-3 | = 1400 mg/kg (Rat) | Not Available | Not Available |
| Dimethicone 63148-62-9 | > 24 g/kg (Rat) | Not Available | Not Available |
| Methylchloroisothiazolinone 26172-55-4 | = 481 mg/kg (Rat) | Not Available | = 1.23 mg/L (Rat) 4 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|---|---|---|----------------------------|---|
| Ethoxydiglycol 111-90-0 | Not Available | 10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through | Not Available | 3940 - 4670: 48 h Daphnia magna mg/L EC50 |
| Tributoxyethyl Phosphate 78-51-3 | Not Available | 10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through | Not Available | Not Available |
| PPG-2 Methyl Ether 34590-94-8 | Not Available | 10000: 96 h Pimephales promelas mg/L LC50 static | Not Available | 1919: 48 h Daphnia magna mg/L LC50 |
| Ammonium Hydroxide 1336-21-6 | Not Available | 8.2: 96 h Pimephales promelas mg/L LC50 | Not Available | 0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50 |
| Methylchloroisothiazolinone 26172-55-4 | 0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static | 1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static | Not Available | 4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static |

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non-Hazardous Product
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG: Not Regulated
Proper Shipping Name: Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)
 All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Ethoxydiglycol

CAS No 111-90-0 applies to R-(OCH₂CH₂)_n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate
 Chemical Category N230

SARA 311/312 Hazard Categories

| | |
|---|-----|
| Acute Health Hazard: | Yes |
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

| | | | | |
|-------------|--------------------------|------------------------|----------------------------|---------------------|
| NFPA | Health Hazards: 1 | Flammability: 0 | Instability: 0 | Special: N/A |
| HMIS | Health Hazards: 1 | Flammability: 0 | Physical Hazards: 0 | |

Revision Date: 26-Jul-2024
Reasons for Revision: New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet