

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 26-Nov-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	FRESH 'N EASY SMOKE & ODOR ELIMINATOR 5802 , 5812 Deodorant For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	's: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Serious Eye Damage/Eye Irritation: Flammable Liquids	Category 1 Category 3
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger
Hazard Statements:	Causes serious eye damage Flammable liquid and vapor.
Precautionary Statements: Prevention:	Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground container and receiving equipment. Use explosion-proof electrical equipment Use only non-sparking tools Take precautionary measures against static discharge
Response: -Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR
-Specific Treatment:	PHYSICIAN. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Fire: Storage: Disposal:	Water spray, fog or alcohol-resistant foam, Carbon dioxide, for extinction Store in a well-ventilated place. Keep cool Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- May be harmful if swallowed.
- May cause skin irritation.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	3-7
C9-11 Pareth-6	68439-46-3	1-5
Fragrance	PROPRIETARY	0.1-1
Phenethyl Alcohol	60-12-8	0.1-1
Linalool	78-70-6	0.1-1
Isopropylcyclohexanol	4621-04-9	0.1-1
Citronellol	106-22-9	0.1-1
Benzyl Alcohol	100-51-6	0.1-1
Benzyl Acetate	140-11-4	0.1-1
2-T-Butylcyclohexyl Acetate	88-41-5	0.1-1
Sodium Ethylhexyl Sulfate	126-92-1	0.1-1
Hexamethylindanopyran	1222-05-5	<0.1
Dimethyltetrahydro Benzaldehyde	68737-61-1	<0.1
Phenylacetaldehyde Dimethyl Acetal	101-48-4	<0.1
Methyl Phenylbutanol	103-05-9	<0.1
Hexahydro-Methanoindenyl Propionate	68912-13-0	<0.1
Geraniol	106-24-1	<0.1
Amyl Cinnamal	122-40-7	<0.1
Sodium Hydroxide	1310-73-2	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present ar easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to Physicians:	Treat symptomatically.

Suitable Extinguishing Media:	Water spray (fog), Alcohol resistant foam, Carbon dioxide, Move containers from fire area if you can do it without risk
Specific Hazards Arising from the Chemical: Hazardous Combustion Products:	Vapors may travel to areas away from work site before igniting/flashing back to vapor source. flammable. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

Personal Protective EquipmentEye/Face Protection:Wear splash goggles.Skin and Body Protection:Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

General Hygiene Considerations:

is: Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

3 should be considered.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Pleasant
pH:	4.5-5.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	> 45 °C / 113 °F
Flash Point:	45 °C / 113 °F Pensky-Martens Closed Cup (PMCC)
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.991
Solubility(ies):	No information available. Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.	
-Skin Contact:	Pain, redness and cracking of the skin.	
-Inhalation:	Nasal discomfort and coughing.	
-Ingestion:	Pain, nausea, vomiting and diarrhea.	
Immediate, Delayed, Chronic Effect	IS IS	
Product Information:	Data not available or insufficient for classification.	
Target Organ Effects: Numerical Measures of Toxicity	-Eyes. Respiratory SystemSkin.	
The following acute toxicity estimates (ATE) are calculated based on the GHS document.		

•	
ATEmix (oral):	17207 mg/kg
ATEmix (dermal):	63975 mg/kg
ATEmix (inhalation-dust/mist):	1144.3 mg/l
ATEmix (inhalation-vapor):	1432 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available

5802 - FRESH 'N EASY SMOKE & ODOR ELIMINATOR

Phenethyl Alcohol 60-12-8	= 1609 mg/kg(Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat)4 h
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Isopropylcyclohexanol 4621-04-9	= 2750 mg/kg (Rat)	Not Available	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	Not Available
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
2-T-Butylcyclohexyl Acetate 88-41-5	= 4600 mg/kg (Rat)	Not Available	Not Available
Sodium Ethylhexyl Sulfate 126-92-1	= 4 g/kg (Rat)	Not Available	Not Available
Hexamethylindanopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	Not Available
Phenylacetaldehyde Dimethyl Acetal 101-48-4	= 3500 μL/kg (Rat)	Not Available	Not Available
Methyl Phenylbutanol 103-05-9	= 2200 mg/kg (Rat)	Not Available	Not Available
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Amyl Cinnamal 122-40-7	= 3730 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	Not Available
Sodium Hydroxide 1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Phenethyl Alcohol 60-12-8	490: 72 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	287.17: 48 h Daphnia magna mg/L EC50
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia magna mg/L EC50
Benzyl Alcohol 100-51-6	Not Available	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	23: 48 h water flea mg/L EC50
Methyl Phenylbutanol 103-05-9	Not Available	66.4: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available

Persistence and Degradability: Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

<u>DOT:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Special Provisions:	UN1993 Flammable Liquid, n.o.s. (contains isopropanol) 3 III Class 3, Packing Group III materials meet the exception requirements of section 49 CFR 173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified as "Limited Quantity". Shipping descriptions may vary based on mode of transport, quantities, package size,			
<u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group:	and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation. UN1993 Flammable Liquid, n.o.s. (contains isopropanol) 3 III			

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	Yes
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health Hazards: 2	Flammability: 2	Instability: 0	Special: N/A
HMIS	Health Hazards: 2	Flammability: 2	Physical Hazards: 0	
Revision Date: Reasons for Revision:	26-Nov-2019 Revised formula			

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet